

17 South High Street, Suite 400 • Columbus, Ohio 43215-7410 • (614) 466-3947

Committee on Prescriptive Governance Updates May 10, 2010

New Drug Indications / Warnings May 2010

(New Drug Indications/Black Box Warnings: FDA)

Generic Name	Trade Name	Indication(s)	CPG Action/Date
	Januar	y 2010	
None			
	Februar	ry 2010	
Acetazolamide Oral Formulary Pg. 13	Acetazolamide, Diamox Sequels	Renal and Genitourinary Agents: Carbonic Anhydrase	<i>Current:</i> CTP MAY Prescribe
		<i>Inhibitors: Diuretics.</i> New black box warning. Indication for Acute mountain sickness, edema, glaucoma, seizures.	May 10, 2010: CTP MAY prescribe
	March		I
Bevacizumab Injection Formulary Pg. 26	Avastin	Antineoplastic Agents: Monoclonal Antibodies. New indication for the treatment of metastatic	<i>Current:</i> CTP MAY NOT prescribe
		renal cell carcinoma in combination with interferon alpha. Indication for glioblastoma, metastatic breast cancer, metastatic colorectal cancer, metastatic renal cell carcinoma, nonsquamous non-	May 10. 2010: CTP MAY NOT prescibe
		small cell lung cancer.	
	April		
(Hemostatic) Aprotinin Injection	Trasylol	New Warning: Anaphylactic or anaphylactoid reactions	Current: CTP May NOT Prescribe.
Formulary Pg. 7			May 10, 2010: CPT MAY NOT Prescribe.
Thrombin topical Formulary Pg. 7	Thrombin JMI, Thrombin, Recothrom	New Warning: (bovine) Must not be injected. Apply only to surface of	Current CTP MAY prescribe:

Thrombin topical	Thrombin JMI,	New Warning: (bovine)	Current CTP MAY
Formulary Pg. 7	Thrombin, Recothrom	Must not be injected.	
i ormulary i g. /		Apply only to surface of	prescribe:
		bleeding tissue.	M 10 2010 CTD
		biocoming closure.	May 10, 2010: CTP
	_		May prescribe.
Teriparatide Injection	Forteo	Treatment of	Current CTP MAY
		glucocorticoid-induced	prescribe
Formulary Pg.9		osteoporosis	
			May 10, 2010: CTP
			MAY prescribe.
Olmesartan	Benicar	Warning change: When	Current: CTP MAY
Medoxomil-Oral		Pregnancy dected,	prescribe.
		discontinue drug as	
Formulary Pg.12		soon as possible.	May 10, 2010: CTP
			MAY prescribe.
Aliskiren	Tekurna	Warning change: Use in	Current: CTP MAY
Hemifumarate- Oral		pregnancy, can cause	prescribe.
		injury and death to	1
Formulary Pg. 12		developing fetus.	May 10, 2010: CTP
			MAY prescribe.
Rosuvastatin Calcium	Crestor	Primary prevention of	Current: CTP MAY
Oral		cardiovascular disease.	prescribe.
			1
Formulary Pg. 12			May 10, 2010: CTP
			MAY prescribe.
Olanzapine Oral &	Zyprexa	Warning change:	Current: CTP MAY
Injectable		Increased mortality in	prescribe.
		elderly patients with	r
Formulary Pg.16		dementia-related	May 10, 2010: CTP
		psychosis.	MAY prescribe.
Telbivudine-Oral	Tyzeka	Warning change: Lactic	Current: PI/PC
reibivuunie orai	1 yZenu	, , arming change. Dattle	

New Drugs May 2010

((Driginal New Drug Applications: FDA)	
----	--------------------------------------	--

Generic Name	Trade Name	Indication(s)	CPG Action/Date		
	January 2010				
Human	Cervarix	Biologic and	May 10, 2010: CTP		
Papillomavirus		Immunologic Agents:	MAY prescribe		
(Types 16, 18)		Agents for Active			
Bivalent Vaccine,		Immunization:			
Recombinant		Vaccines, Viral.			
Injection		Indication for			
		prevention of human			
Formulary Pg. 22		papillomavirus.			
Ofatumumab	Arzerra	Antineoplastic Agents:	May 10, 2010: CTP		
Injection		Monoclonal Antibodies.	MAY NOT prescribe		

Formulary Pg. 26 Romidepsin Injection	Istodax	Indication for chronic lymphocytic leukemia. Antineoplastic Agents:	May 10, 2010: CTP
Formulary Pg. 26		<i>Histone Deacetylase</i> <i>Inhibitors</i> . Indication for cutaneous T-cell lymphoma.	MAY NOT prescribe.
		ry 2010	
Ecallantide Formulary Pg. 7	Kalbitor	Hemotological Agents: Kallikrein Inhibitor. Indication for hereditary	May 10, 2010: PI/PC
Chenodiol Oral Formulary Pg. 19	Chenodal	angioedema. Gastrointestinal Agents: Gallstone solubilizing agents. Indication for	May 10, 2010: PI/PC
		radiolucent gallstones.	
		<u>h 2010</u>	
Vigabatrin Oral Formulary Pg. 17	Sabril	Central Nervous System Agents: Anticonvulsants. Indication for infantile spasms and refactory complex partial seizures.	May 10, 2010: CTP MAY NOT prescribe.
I	Apri	l 2010	
Potassium Channel Blocker/ Dalfampridine-Oral Formulary Pg. 18	Ampyra	Multiple sclerosis: TO improve walking inpatients with MS.	May 10, 2010: PI/PC.
Antidiabetic Agent/ Liraglutide-Injection Formulary Pg. 8-9	Victoza	Type 2 diabetes mellitus	May 10, 2010: PI/PC
Tocilizumab-injection Formulary Pg. 22	Actemra	Treatment of moderately to severely active rheumatoid arthritis in adults	May 10, 2010: PI/PC.

Formulary Revision Requests May 2010

Generic Name	Trade Name	Indication(s)	CPG Action/Date
Formulary	Revision Request from (Initially discussed at	n Sarah Otto CNP, Ying Y t January 2010 CPG)	Yang CNP

	Dermatologic Agents: Retinoids: First Generation Retinoids. Indication for severe recalcitrant nodular acne. Requesting Physician Initiated.	MAY NOT prescribe. May 10, 2010: PI/PC for CTP Holder with SCA
	Indication for severe recalcitrant nodular acne. Requesting Physician	May 10, 2010: PI/PC for CTP Holder with SCA
	recalcitrant nodular acne. Requesting Physician	PI/PC for CTP Holder with SCA
	acne. Requesting Physician	PI/PC for CTP Holder with SCA
	Requesting Physician	Holder with SCA
		Luith physician in
		with physician in Dermatology
	influted.	practice ONLY
		F
		NP
Accutane Claravis	Dermatologic Agents:	Current: CTP
	Retinoids: First	holder MAY NOT
	Generation Retinoids.	Prescribe.
	Indication for severe	
	recalcitrant nodular	May 10, 2010:
	acne.	PI/PC for CTP
		Holder with SCA
		with physician in
	initiated.	Dermatology practice ONLY
		•
		Current: CTP holder MAY NOT
Sotret, Annesteem		Prescribe.
		riescribe.
		May 10, 2010: PI/PC
	acne.	for CTP Holder with
		SCA with physician
	Requesting Physician	in Dermatology
		practice ONLY
	fer Phillips, Sherry Groo	oms, Nancy Hogan,
Accutane	Dermatologic Agents:	Current: CTP holder
	Retinoids: First	MAY NOT
	Generation Retinoids.	Prescribe.
		May 10, 2010: PI/PC
	ache.	for CTP Holder with SCA with physician
	Requesting Physician	in Dermatology
	(Initially discussed a Accutane, Claravis, Sotret, Amnesteem alary Revision Reque Accutane, Claravis, Sotret, Amnesteem Request from Jennif Darlene	Sotret, AmnesteemRetinoids: First Generation Retinoids. Indication for severe recalcitrant nodular acne.Indication for severe recalcitrant nodular acne.Requesting Physician Initiated.Ilary Revision Request from Katherine NoveAccutane, Claravis, Sotret, AmnesteemDermatologic Agents: Retinoids: First Generation Retinoids. Indication for severe recalcitrant nodular acne.Accutane, Claravis, Sotret, AmnesteemDermatologic Agents: Retinoids: First Generation Retinoids. Indication for severe recalcitrant nodular acne.Requesting Physician Initiated / Physician Consult.Requesting Physician Consult.Request from Jennifer Phillips, Sherry Groot Darlene Bisgaard,Dermatologic Agents: Retinoids: First

		Initiated/ Physician Consult.	practice ONLY
Formula	ary Revision Req	uests from Michelle Angie,	, CNP
Leuprolide Acetate Formulary Pg. 25	Lupron	Antineoplastic Agent:	Current: CTP Holder w/ SCA w/ physician specializing in Hematology/ Oncology ONLY for prostate CA May 10, 2010: CTP Holder w/ SCA with /physician specializing in Hematology/Oncolo g / or Urology ONLY for prostate CA.
Goserelin Acetate Formulary Pg. 25	Zoladex	Antineoplastic Agent;	Current: CTP Holder w/ SCA w/ physician specializing in Hematology/ Oncology ONLY for prostate CA May 10, 2010: CTP Holder w/ SCA with /physician specializing in Hematology/Oncolo g /or Urology ONLY for prostate CA.
Phentolamine Formulary Pg 12	Regitine	Cardiovasculars; Agents for Pheochromocytoma. Indication for pheochromocytoma, dermal necrosis. Unlabeled use for hypertensive crises secondary to MAO inhibitor/ sympathomimetic amine interaction and rebound hypertension on withdrawal of clonidine,	Current: CTP holder MAY NOT prescribe. May 10, 2010: Under continued review.

For	rmulary Revision Req	uest from Pamela Fletch	er
Formulary Pg. 23	Amnesteen	Retinoids: First Generation Retinoids. Indication for severe recalcitrant nodular acne. Requesting CTP Holder may prescribe	may NOT Prescribe May 10, 2010: PI for CTP Holder with SCA with physician in Dermatology practice ONLY
Isotretinoin	Accutane, Claravis,	ests from Christina Schu Dermatologic Agents:	Current: CTP Holder
		hypertension. Request for change to CTP holder MAY prescribe.	Changed to PI/PC.
Formulary Pg. 11		Vasodilators: Endothelin Receptor Antagonist. Indication for pulmonary arterial	MAY NOT prescribe. May 10, 2010:
Fo Bosetan	rmulary Revision Req Tracleer	Cardiovasculars:	Current: CTP holder
		Request for change to CTP holder may prescribe, PI/PC intercavernosal only as an impotence agent.	May 10, 2010: Under continued review.
Papaverine Solution Formulary Pg. 12	Papaverine	Cardiovasculars: Vasodilators: Peripheral Vasodilators. Indication for ischemia.	Current: CTP holder may prescribe P.O. only.
		 propranolol or other antihypertensives. It has also been used in combination with papaverine as an intracavernous injection for impotence. Requests change to CTP holder may prescribe, PI/PC for intracavernosal as impotence agent. 	

Isotretinoin	Accutane	Dermatologic Agents:	Current: CTP Holder			
Formulary Pg. 23		Retinoids: First	may NOT Prescribe			
		Generation Retinoids.				
		Indication for severe				
		recalcitrant nodular				
		acne.				
			May 10, 2010: PI for			
		Requesting CTP	CTP Holder with SCA			
		Holder in	with physician in			
		Dermology practice	Dermatology practice			
		MAY prescribe	ONLY			
Formulary Revision	Formulary Revision Request from Anne M. McKee, Jodi Westfall, Mandi Fleming,					
	Stephanie Russell,	<u>Katherine Novotny,</u>				
Isotretinoin	Accutane	Dermatologic Agents:	Current: CTP Holder			
Formulary Pg. 3		Retinoids: First	may NOT Prescribe			
		Generation Retinoids.				
		Indication for severe	May 10, 2010: PI for			
		recalcitrant nodular	CTP Holder with SCA			
		acne.	with physician in			
			Dermatology practice			
		Requesting	ONLY			
		physician				
		initiated/Physician				
		consult				